Analytical Data Package Prepared For

Fluor Handord

Radiochemical Analysis By

STL Richland STLRL

2800 G.W. Way, Richland Wa, 99354, (509)-375-3131.

Data Package Contains _____ Pages

Report Nbr: 35800

SDG Nbr	ORDER Nbr	CLIENT ID NUMBER	LOT Nbr	WORK ORDER	RPT DB ID	BATCH
W05103A	W07-012	B1LHB1	J7F220220-1	J1K3T2AA	9J1K3T20	7183287

Comments:

SEVERN TRENT **STL**

STL Richland
2800 George Washington Way
Richland, WA 99354

Tel: 509 375 3131   Fax: 509 375 5590
www.stl-inc.com

Certificate of Analysis

Fluor Hanford
1200 Jadwin Ave.
Richland, WA 99352

July 5, 2007

Attention: Steve Trent

SAF Number	:	W07-012
Date SDG Closed	:	June 19, 2007
Number of Samples	:	One (1)
Sample Type	:	Water
SDG Number	:	W05103A
Data Deliverable	:	15-Day / Summary

CASE NARRATIVE

I.   Introduction

On June 19, 2007 a request for reanalysis of one water sample was received at STL Richland (STLR) for radiochemical analysis. Upon receipt, the sample was assigned the following laboratory ID number to correspond with the Pacific Northwest National Laboratories (PGW) specific ID:

PGW ID#	STLR ID#	MATRIX	DATE OF RECEIPT
B1LHB1	J1K3T (JNC9Q)	WATER	06/19/07

II.   Sample Receipt

The sample was received in good condition and no anomalies were noted during check-in.

III.   Analytical Results/Methodology

The analytical results for this report are presented by laboratory sample ID. Each set of data includes sample identification information, analytical results and the appropriate associated statistical errors.

The requested reanalysis was:

Liquid Scintillation Counting
Technetium-99 by TEVA method RICH-RC-5065

IV.   Quality Control

The analytical results for each analysis performed includes a minimum of one laboratory control sample (LCS), one method (reagent) blank, and one duplicate sample analysis. Any exceptions have been noted in the "Comments" section.

QC and sample results are reported in the same units.

V.   Comments

Liquid Scintillation Counting
Technetium-99 by TEVA method RICH-RC-5065:
The TSIE was out on the first count of this Tc99 batch. The samples were shaken, wiped and recounted with acceptable results.

The reanalysis results are within RER acceptance criteria.

The LCS, batch blank, samples, sample duplicate (B1LHB1), and sample matrix spike (B1LHB1) results are within contractual requirements.

I certify that this Certificate of Analysis is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager, or a designee as verified by the following signature.

Reviewed and approved:

for   Sherryl A. Adam
      Project Manager

Drinking Water Method Cross References

	DRINKING WATER ASTM METHOD CROSS REFERENCES	
Referenced Method	**Isotope(s)**	**STL Richland's SOP number**
EPA 901.1	Cs-134, I-131	RICH-RC-5017
EPA 900.0	Alpha & Beta	RICH-RC-5014
EPA 903.1	Ra-226	RICH-RC-5005
EPA 904.0	Ra-228	RICH-RC-5005
EPA 905.0	Sr89/90	RICH-RC-5006
ASTM D2460	Total Radium	RICH-RC-5027
Standard Method 7500-U-C & ASTM D5174	Uranium	RICH-RC-5058
EPA 906.0	Tritium	RICH-RC-5007
NOTE:		
The Gross Alpha LCS is prepared with Am-241 (unless otherwise specified in the case narrative)		
The Gross Beta LCS is prepared with Sr/Y-90 (unless otherwise specified in the case narrative)		

Uncertainty Estimation

STL Richland has adopted the internationally accepted approach to estimating uncertainties described in "NIST Technical Note 1297, 1994 Edition". The approach, "Law of Propagation of Errors", involves the identification of all variables in an analytical method which are used to derive a result. These variables are related to the analytical result (R) by some functional relationship, R = constants * f(x,y,z,...). The components (x,y,z) are evaluated to determine their contribution to the overall method uncertainty. The individual component uncertainties (u_i) are then combined using a statistical model that provides the most probable overall uncertainty value. All component uncertainties are categorized as type A, evaluated by statistical methods, or type B, evaluated by other means. Uncertainties not included in the components, such as sample homogeneity, are combined with the component uncertainty as the square root of the sum-of-the-squares of the individual uncertainties. The uncertainty associated with the derived result is the combined uncertainty (u_c) multiplied by the coverage factor (1,2, or 3).

When three or more sample replicates are used to derive the analytical result, the type A uncertainty is the standard deviation of the mean value (S/√n), where S is the standard deviation of the derived results. The type B uncertainties are all other random or non-random components that are not included in the standard deviation.

The derivation of the general "Law of Propagation of Errors" equations and specific example are available on request.

Report Definitions

Action Lev	An agreed upon activity level used to trigger some action when the final result is greater than or equal to the Action Level. Often the Action Level is related to the Decision Limit.
Batch	The QC preparation batch number that relates laboratory samples to QC samples that were prepared and analyzed together.
Bias	Defined by the equation (Result/Expected)-1 as defined by ANSI N13.30.
COC No	Chain of Custody Number assigned by the Client or STL Richland.
Count Error (#s)	Poisson counting statistics of the gross sample count and background. The uncertainty is absolute and in the same units as the result. For Liquid Scintillation Counting (LSC) the batch blank count is the background.
Total Uncert (#s) u_c _ **Combined Uncertainty.**	All known uncertainties associated with the preparation and analysis of the sample are propagated to give a measure of the uncertainty associated with the result, u_c _the combined uncertainty_. The uncertainty is absolute and in the same units as the result.
(#s), Coverage Factor	The coverage factor defines the width of the confidence interval, 1, 2 or 3 standard deviations.
CRDL (RL)	Contractual Required Detection Limit as defined in the Client's Statement Of Work or STL Richland "default" nominal detection limit. Often referred to the reporting level (RL)
Lc	Decision Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume associated with the sample. The Type I error probability is approximately 5%. Lc=(1.645 * Sqrt(2*(BkgrndCnt/BkgrndCntMin)/SCntMin)) * (ConvFct/(Eff*Yld*Abn*Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability. Lc cannot be calculated when the background count is zero.
Lot-Sample No	The number assigned by the LIMS software to track samples received on the same day for a given client. The sample number is a sequential number assigned to each sample in the Lot.
MDC|MDA	Detection Level based on instrument background or blank, adjusted by the Efficiency, Chemical Yield, and Volume with a Type I and II error probability of approximately 5%. MDC = (4.65 * Sqrt((BkgrndCnt/BkgrndCntMin)/SCntMin) + 2.71/SCntMin) * (ConvFct/(Eff * Yld * Abn * Vol) * IngrFct). For LSC methods the batch blank is used as a measure of the background variability.
Primary Detector	The instrument identifier associated with the analysis of the sample aliquot.
Ratio U-234/U-238	The U-234 result divided by the U-238 result. The U-234/U-238 ratio for natural uranium in NIST SRM 4321C is 1.038.
Rst/MDC	Ratio of the Result to the MDC. A value greater than 1 may indicate activity above background at a high level of confidence. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Rst/TotUcert	Ratio of the Result to the Total Uncertainty. If the uncertainty has a coverage factor of 2 a value greater than 1 may indicate activity above background at approximately the 95% level of confidence assuming a two-sided confidence interval. Caution should be used when applying this factor and it should be used in concert with the qualifiers associated with the result.
Report DB No	Sample Identifier used by the report system. The number is based upon the first five digits of the **Work Order** Number.
RER	The equation Replicate Error Ratio = (S-D)/[sqrt(TPUs^2+ TPUd^2)] as defined by ICPT BOA where S is the original sample result, D is the result of the duplicate, TPUs is the total uncertainty of the original sample and TPUd is the total uncertainty of the duplicate sample.
SDG	Sample Delivery Group Number assigned by the Client or assigned by STL Richland upon sample receipt.
Sum Rpt Alpha Spec Rst(s)	The sum of the reported alpha spec results for tests derived from the same sample excluding duplicate result where the results are in the same units.
Work Order	The LIMS software assign test specific identifier.
Yield	The recovery of the tracer added to the sample such as Pu-242 used to trace a Pu-239/40 method.

STL Richland Report

FormNbr: R	FormatType: FEAD	Version: 05	Rpt Nbr: 35800	File Name: h:\Reportdb\edd\FeadIV\Rad\W05103A.Edd, h:\Reportdb\edd\FeadIV\Rad\35800.E

Lab Sample Id:	Client Id:	Test User	Contract Nbr	SAF Nbr	Sdg Nbr:	QC Type:	Moisture/ Solids%*:	Distilled Volume	Sample On Date:	Collection Date:
9J1K3T20	B1LHB1		MW6-SBB-A1	W07-012	W05103A					01/16/2007 11:45

Batch	Analyte	CAS#	Result	Unit	CntU 2S	TotU 2S	Qual	MDA	TrcYield	Method	Alq Size	Unit	Analy Date/Time	Act
7183287	TC-99	14133-76-7	5.93E+02	pCi/L	1.4E+01	4.1E+01		9.33E+00	100.0	TC99_ETVDSK_LS	1.262E-01	L	07/03/2007 01:28	I

STL Richland

rptFeadRadSummaryEdd v3.48

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

1

FormNbr: R   **FormatType:** FEAD   **VersionNbr:** 05   **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05103A.Edd, h:\Reportdb\edd\FeadIV\Rad\35800.E

Lab Sample Id: J1L852AB	**Sdg/Rept Nbr:** W05103A 35800	**Collection Date:** 01/16/2007 11:45
Client Id: NA	**Matrix:** WATER WATER	**Sample On Date:**
Moisture/Solids%*:	**QC Type:** BLK	**Received Date:** 06/19/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AD	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7183287	TC-99	-1.36E+00	pCi/L	5.4E+00	U	9.45E+00	100.0		TC99_ETVDSK	1.249E-01	07/03/2007				D
BLK	14133-76-7			3.8E+00						L	01:28				

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

FormNbr: R **FormatType:** FEAD **VersionNbr:** 05 **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05103A.Edd, h:\Reportdb\edd\FeadIV\Rad\35800.E

Lab Sample Id: J1L852CS	**Sdg/Rept Nbr:** W05103A 35800	**Collection Date:** 01/16/2007 11:45
Client Id: NA	**Matrix:** WATER WATER	**Sample On Date:**
Moisture/Solids%*:	**QC Type:** BS	**Received Date:** 06/19/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
	MW6-SBB-A19981								AE	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7183287	TC-99	5.21E+02	pCi/L	3.6E+01		9.43E+00	100.0	5.43E+02	TC99_ETVDSK	1.253E-01	07/03/2007			70	D
BS	14133-76-7			1.3E+01				95.9		L	01:28			130	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual - Analyte was found in the associated laboratory blank above the MDC.

FormNbr: R　　　　　**FormatType:** FEAD　　　　　**VersionNbr:** 05　　　　**File Name:** h:\Reportdb\edd\FeadIV\Rad\W05103A.Edd, h:\Reportdb\edd\FeadIV\Rad\35800.E

Lab Sample Id: J1K3T2DR	**Sdg/Rept Nbr:** W05103A	35800	**Collection Date:** 01/16/2007 11:45
Client Id: B1LHB1	**Matrix:** WATER	WATER	**Sample On Date:**
Moisture/Solids%*:	**QC Type:** DUP		**Received Date:** 06/19/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-012	MW6-SBB-A19981								AC	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7183287	TC-99	5.73E+02	pCi/L	3.9E+01		9.45E+00	100.0		TC99_ETVDSK	1.247E-01	07/03/2007	3.6	0.7		D
DUP	14133-76-7	5.93E+02		1.3E+01						L	01:28	20.0	3		

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

Thursday, July 05, 2007

STL Richland Qc Matrix Spike Report

Lab Code: STLRL

FormNbr: R   **FormatType:** FEAD   **VersionNbr:** 05   **File Name:** h:\Reportdb\edd\FeadIV\Rad\W05103A.Edd, h:\Reportdb\edd\FeadIV\Rad\35800.E

Lab Sample Id:	J1K3T2CW	**Sdg/Rept Nbr:**	W05103A	35800	**Collection Date:**	01/16/2007 11:45
Client Id:	B1LHB1	**Matrix:**	WATER	WATER	**Sample On Date:**	
Moisture/Solids%*:		**QC Type:**	MS		**Received Date:**	06/19/2007

SAF Nbr	Contract Nbr	Test User	Case Nbr	SAS Nbr	Suffix	Decant	Distilled Volume	File Id	FSuffix	RTyp
W07-012	MW6-SBB-A19981								AB	H

Batch # / Qc Type	Analyt/ CAS#	Result/ Orig Rst	Unit	Tot/Cnt Uncert 2S	Qu-al	MDC	Tracer Yield	Spk Conc/ %Rec	Analy Method	Aliq Size/	Date/Time Analyzed	RPD/ UCL	RER/ UCL	LCS LCL/UCL	R Typ
7183287	TC-99	3.36E+03	pCi/L	2.4E+02		9.51E+00	100.0	3.65E+03	TC99_ETVDSK	1.238E-01	07/03/2007			60	D
MS	14133-76-7			3.4E+01				92.0		L	01:28			140	

U Qual - Analyzed for, but the result is less than the Mdc or gamma scan did not identify the nuclide.
J Qual - No U qualifier has been assigned and the result is below the Reporting Limit (CRDL).
B Qual- Analyte was found in the associated laboratory blank above the MDC.

4

Lot No., Due Date: J7F220220; 07/05/2007

Client, Site: 384868; PGW 615HANFORD HANFORD

QC Batch No., Method Test: 7183287; RTC99 Tc-99 by LSC

SDG, Matrix: W05103A; WATER

		Yes	No	N/A
8.0	Correction Calculation Protocol Used. OK	✓		
8.01	The Appropriate Methods Were Used To Analyze the Samples OK	✓		
8.02	Final Results Are in the Appropriate Activity Units OK	✓		
8.03	Batch Contains the Required QC Appropriate for the Method OK	✓		
8.04	The Correct Tracer and QC Vials Where Used in the Samples OK	✓		
8.05	Sample was Appropriately Traced Before or After Fractionating the Sample OK	✓		
8.06	At Least the Minimum Sample Volume Was Used OK	✓		
8.07	The Correct Count Geometry was Used. OK	✓		
8.08	The Sample was Counted for the Minimum Count Time or CRDL was Achieved. OK	✓		
8.09	Method Blank is within Control Limits. OK	✓		
8.1	Comments:			
8.11	Matrix Blank is within Control Limits. No Matrix Blanks (MBlks) found in Batch!			✓
8.12	Method Blank(s) < QAS Limit Value (No B Flag Necessary). OK	✓		
8.13	QAS Specified Duplicate Equation Value within Control Limits. OK (RPD)	✓		
8.14	LCS within Control Limits. OK	✓		
8.15	MLCS within Control Limits. No Matrix Spikes (MLCS) found in Batch!			✓
8.16	MS within Control Limits. OK	✓		
8.17	Tracer within Control Limits. No Tracers found in Batch!			✓
8.18	Samples are above Minimum Tracer Yield (No Failed Samples) No Tracers found in Batch!			✓
8.19	Sample Specific MDC <= CRDL. OK	✓		
8.2	Comments:			
8.21	Result < Lc, Activity Not Detected, U Flag. No Limit Specified!			✓
8.22	Result < Mdc, Activity Not Detected, U Flag. No Positive Results OK Calc_IDL Not Calculated	✓		
8.23	Result <= Action Level, when Defined. OK; No Action Level Found => TC-99 OK; No Callin Level Found => TC-99	✓		
8.24	Result + 3s >=0, Not Too Negative. OK	✓		
8.25	Counting Spectrum are within FWHM Limits. No FWHM found in Batch Data!			✓

8.26 Instruments have Current Calibrations.	Yes	No	N/A

8.27 Correct Count Library Used.	Yes	No	N/A
No Count Library found in Batch Data!			✓

8.28 Instrument Background within Limits at Time of Counting. (Not Applicable to this version. To be developed in later versions)	Yes	No	N/A

8.29 Instrument Check Source within Limits at the Time of Counting. (Not Applicable to this version. To be developed in later versions.)	Yes	No	N/A

8.3 Comments: NCM   10- DAYS

8.31 Results Blank Subtracted as Appropriate.	Yes	No	N/A
OK	✓		

First Level Review _Lisa Antonson_   **Date** _7/3/07_

SEVERN TRENT STL

Data Review Checklist
RADIOCHEMISTRY
Second Level Review

QC Batch Number: 7183287
ω 051034

Review Item	Yes (√)	No (√)	N/A (√)
A. Sample Analysis			
1. Are the sample yields within acceptance criteria?	✓		
2. Is the sample Minimum Detectable Activity < the Contract Detection Limit?	✓		
3. Are the correct isotopes reported?	✓		
B. QC Samples			
1. Is the Minimum Detectable Activity for the blank result ≤ the Contract Detection Limit?	✓		
2. Does the blank result meet the Contract criteria?	✓		
3. Is the blank result < the Contract Detection Limit?	✓		
4. Is the blank result > the Contract Detection Limit but the sample result < the Contract Detection Limit?			✓
5. Is the LCS recovery with contract acceptance criteria?	✓		
7. Is the LCS Minimum Detectable Activity ≤ the Contract Detection Limit?	✓		
8. Do the MS/MSD results and yields meet acceptance criteria?			✓
9. Do the duplicate sample results and yields meet acceptance criteria?	✓		
C. Other			
1. Are all Nonconformances included and noted?	✓		
2. Are all required forms filled out?	✓		
3. Was the correct methodology used?	✓		
4. Was transcription checked?	✓		
5. Were all calculations checked at a minimum frequency?	✓		
6. Were units checked?	✓		

Comments on any "No" response: See NCM

Second Level Review: _Sherryl A Adam_ Date: 7-5-07

Clouseau
Nonconformance Memo

STL

NCM #: **10-10293**	
NCM Initiated By: Lisa Antonson	Classification: **Anomaly**
Date Opened: 07/03/2007	Status: **GLREVIEW**
Date Closed:	Production Area: Environmental - Prep
	Tests: Tc-99 by LSC
	Lot #'s (Sample #'s): J7F220000 (453), J7F220220 (1),
	QC Batches: 7183287,
Nonconformance: Other (describe in detail)	
Subcategory: Other (explanation required)	

Problem Description / Root Cause

Name	Date	Description
Lisa Antonson	07/03/2007	The TSIE was out on the first count of this Tc99 batch. The samples were shaken, wiped and recounted with acceptable results.

Corrective Action

Name	Date	Corrective Action
Lisa Antonson	07/03/2007	The sample were recounted.

Client Notification Summary

Client	Project Manager	Notified	Response	How Notified	Note
	Response		Response Note		

Quality Assurance Verification

Verified By	Due Date	Status	Notes
		This section not yet completed by QA.	

Approval History

Date Approved	Approved By	Position

RECHECK, RECOUNT, OR REANALYSIS ORDER
CONTRACT NO MW6-SBB-A19981

Severn Trent Incorporated,
2800 George Washington Way
Richland, WA 99354

Battelle PNNL Order Number: 070619STLRL-R3865

Sample Delivery Group: W05103

Special Instructions None

Samples(s)

Lab Sample ID	PNNL Sample	Action	TAT	METHOD_NAME:
9JNC9Q10	B1LHB1	Reanalysis	15/15	TC99_ETVDSK_LSC

J 7F220220

USE W05103A for the SDG

Date Rec'd: 6/19/07
Date Due: 6/ 7/5/07
Rv 6/21/07
15 day TAT

Please Relog for A
TC99 —ETVDSK_LSC

Deliver Report Results to: Fluor Hanford, Inc.
                           1200 Jadwin Ave.
                           Richland, WA 99352
                           C/O Mr. Steve Trent

The report results must reference the Battelle PNNL-order number, SDG number, and the Battelle PNNL sample identification number shown above.

From:	Adam, Sherryl
Sent:	Tuesday, June 19, 2007 2:06 PM
To:	Seger, Sandra
Subject:	FW: Request for Recheck, Recount, or Reanalysis Order

Attachments: 070619STLRLR3865.rtf

070619STLRLR3865
.rtf (3 KB)

-----Original Message-----
From: Hampt, Heidi [mailto:Heidi_Hampt@RL.gov]
Sent: Tuesday, June 19, 2007 1:38 PM
To: Adam, Sherryl
Cc: Trent, Stephen J
Subject: Request for Recheck, Recount, or Reanalysis Order

 <<070619STLRLR3865.rtf>>
See Attached

J TA25 0174
W05103
Due 03-02-07

CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST

C.O.C. #
W07-012-48

Page 1 of 1

Collector	Fluor Hanford D. P. CONNOLLY	Contact/Requester Dot Stewart	Telephone No. 509-376-5056	MSIN	FAX
SAF No. W07-012		Sampling Origin Hanford Site	Purchase Order/Charge Code		
Project Title RCRA, DECEMBER 2006		HNF-N-5064	Ice Chest No. SenL-442		Temp.
Shipped To (Lab) Severn Trent Incorporated, Richland		Method of Shipment Govt. Vehicle	Bill of Lading/Air Bill No.		
Protocol RCRA		Priority: 45 Days	Offsite Property No.		

POSSIBLE SAMPLE HAZARDS/REMARKS
** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)

SPECIAL INSTRUCTIONS   Hold Time   Total Activity Exemption: Yes ☑ No ☐
All Labs except WSCF: Batch all PNNL samples submitted under A, G, I, S, and W 07 SAFs into one SDG, not to exceed SDG closure of 14 days.
WSCF: Batch all PNNL GW samples submitted into one SDG, daily closure.

Sample No.	Lab ID	*	Date	Time	No/Type Container	Sample Analysis	Preservative
B1LHB1		W	1-16-07	1145	1x20-mL P	Activity Scan	None
B1LHB1		W			1x500-mL P	9223_COLIFORM: Coliform (1)	Na2S2O3 Cool 4C
B1LHB1		W			1x1000-mL P	906.0_H3_LSC: Tritium (1)	None
B1LHB1		W			3x1000-mL G/P	SRISO_SEP_PRECIP_GPC: Sr-90 (1)	HNO3 to pH <2
B1LHB1		W			1x1000-mL P	9310_ALPHABETA_GPC: Alpha + Beta (2)	HNO3 to pH <2
B1LHB1		W			1x4000-mL G/P	GAMMALL_GS: List-1 (9)	HNO3 to pH <2
B1LHB1		W			1x500-mL P	TC99_ETVDSK_LSC: Tc-99 (1)	HCl to pH <2

JNC9Q

RP 1-16-07

Relinquished By	Print Fluor Hanford D. P. CONNOLLY	Sign	Date/Time 4:15 JAN 1 6 2007	Received By DAVID HARBINSON	Print	Sign	Date/Time 4:15 JAN 1 6 2007	Matrix *
Relinquished By			Date/Time	Received By			Date/Time	S = Soil SE = Sediment SO = Solid SL = Sludge W = Water O = Oil A = Air
Relinquished By			Date/Time	Received By			Date/Time	DS = Drum Solid DL = Drum Liqui T = Tissue WI = Wine L = Liquid V = Vegetation X = Other
Relinquished By			Date/Time	Received By			Date/Time	

FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)	Disposed By	Date/Time

SEVERN TRENT **STL**

*** RE-COUNT REQUEST ***

DUE DATE 7/5/07

CUSTOMER PGW

ANALYSIS TC99

MATRIX water

LOT NUMBER J7F220220

SAMPLE DELIVERY GROUP S103A

OLD BATCH NUMBER 7173US3

	LAB SAMPLE ID	REASON FOR REQUEST & ANALYSIS COMMENTS
1)	all	TSIE out Please Shake +
2)		wipe
3)		
4)		
5)		
6)		
7)		
8)		
9)		
10)		
11)		
12)		
13)		
14)		
15)		
16)		
17)		
18)		
19)		
20)		

7/2/2007 10:48:31 AM

Sample Preparation/Analysis

Balance Id:

384868, Pacific Northwest National Laboratory ,
Pacific Northwest National Lab

FP Tc-99 Prp/SepRC5065
S5 Technetium-99 by Liquid Scint

Pipet #: _____

AnalyDueDate: 07/05/2007

5I CLIENT: HANFORD

Sep1 DT/Tm Tech:

Batch: 7183287   WATER   pCi/L
SEQ Batch, Test: None

PM, Quote: SA , 57671

Sep2 DT/Tm Tech:

Prep Tech:

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:
1 J1K3T-2-AA										
J7F220220-1-SAMP										
01/16/2007 11:45			AmtRec: 500MLP	#Containers: 1				Scr:	Alpha:	Beta:
2 J1K3T-2-AC-S										
J7F220220-1-MS										
01/16/2007 11:45			AmtRec: 500MLP	#Containers: 1				Scr:	Alpha:	Beta:
3 J1K3T-2-AD-X										
J7F220220-1-DUP										
01/16/2007 11:45			AmtRec: 500MLP	#Containers: 1				Scr:	Alpha:	Beta:
4 J1L85-2-AA-B										
J7F220000-453-BLK										
01/16/2007 11:45			AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:
5 J1L85-2-AC-C										
J7F220000-453-LCS										
01/16/2007 11:45			AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:
6 J1L85-2-AD-BN										
J7F220000-453-IBLK										
01/16/2007 11:45			AmtRec:	#Containers: 1				Scr:	Alpha:	Beta:

STL Richland	Key: In - Initial Amt, fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2 Page 1	ISV - Insufficient Volume for Analysis	**WO Cnt: 6**
Richland Wa.	pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added		ICOC v4.8.26

Sample Preparation/Analysis

FP Tc-99 Prp/SepRC5065
S5 Technetium-99 by Liquid Scint
5I CLIENT: HANFORD

Balance Id:

Pipet #: _____

AnalyDueDate: 07/05/2007

Sep1 DT/Tm Tech:

Batch: 7183287   **pCi/L**

SEQ Batch, Test: None

Sep2 DT/Tm Tech:

Prep Tech:

Work Order, Lot, Sample Date	Total Amt /Unit	Total Acidified/Unit	Initial Aliquot Amt/Unit	Adj Aliq Amt (Un-Acidified)	QC Tracer Prep Date	Count Time Min	Detector Id	Count On | Off (24hr) Circle	CR Analyst, Init/Date	Comments:

Comments:

```
All Clients for Batch:
    384868, Pacific Northwest National Laboratory    Pacific Northwest National Lab,  SA , 57671

J1K3T2AA-SAMP Constituent List:
   Tc-99       RDL:15        pCi/L      LCL:70       UCL:130      RPD:20
J1K3T2AC-MS Constituent List:

J1L852AA-BLK:
   Tc-99       RDL:15        pCi/L      LCL:        UCL:         RPD:
J1L852AC-LCS:
   Tc-99       RDL:15        pCi/L      LCL:70       UCL:130      RPD:20
J1L852AD-IBLK:
   Tc-99       RDL:15        pCi/L      LCL:        UCL:         RPD:

J1K3T2AA-SAMP Calc Info:
      Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
J1K3T2AC-MS Calc Info:
      Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
J1L852AA-BLK:
      Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
J1L852AC-LCS:
      Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
J1L852AD-IBLK:
      Uncert Level (#s).: 2     Decay to SaDt: Y     Blk Subt.: N     Sci.Not.: Y     ODRs: B
```

Approved By _____   Date: _____

STL Richland   Key: In - Initial Amt,   fi - Final Amt, di - Diluted Amt, s1 - Sep1, s2 - Sep2   Page 2   ISV - Insufficient Volume for Analysis   WO Cnt: 6

Richland Wa.   pd - Prep Dt, r - Reference Dt, ec-Enrichment Cell, ct-Cocktailed Added   ICOC v4.8.26

ICOC Fraction Transfer/Status Report

ByDate: 7/3/2006, 7/8/2007, Batch: '7183287', User: *ALL Order By DateTimeAccepting

Q Batch	Work Ord	CurStatus	Accepting		Comments
7183287					
AC		CalcC	**HarveyK**	7/2/2007 1:22:50 PM	
SC			antonsonl	IsBatched 7/2/2007 10:48:29 AM	ICOC_RADCALC v4.8.26
SC			HarveyK	Sep1C 7/2/2007 1:22:50 PM	RICH-RC-5065 REV 6
SC			BlackCL	InCnt1 7/2/2007 1:24:58 PM	RICH-RD-0001 REVISION 4
SC			BlackCL	CalcC 7/3/2007 5:52:31 AM	RICH-RD-0001 REVISION 4
AC			**BlackCL**	7/2/2007 1:24:58 PM	
AC			**BlackCL**	7/3/2007 5:52:31 AM	

AC: Accepting Entry; SC: Status Change

STL Richland

Richland Wa.

Page 1

Grp Rec Cnt: 3

ICOCFractions v4.8.27